

Проволоки для локализации груди Bard Ghiatas, Bard DuaLok

Техническое описание

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bog@nt-rt.ru || сайт: <https://becton.nt-rt.ru/>

Bard® DuaLok™ Breast Localization Wire



Bard™DuaLok™ Breast Lesion Localization Wire

20G x 13.7cm

SKU: LW0137

Locks in secure placement. Locks out wire migration.

- Wire designed to aid in secure placement.
- Locking elements provide you with migration resistance.
- Unlike other wires, the Bard™ DuaLok™ Breast Localization Wire allows you to reposition it after placement if necessary.



Bard™DuaLok™ Breast Lesion Localization Wire

20G x 10.7cm

SKU: LW0107

Locks in secure placement. Locks out wire migration.

- Wire designed to aid in secure placement.

- Locking elements provide you with migration resistance.
- Unlike other wires, the Bard™ DuaLok™ Breast Localization Wire allows you to reposition it after placement if necessary.



Bard™ DuaLok™ Breast Lesion Localization Wire

20G x 7.7cm

SKU: LW0077

Locks in secure placement. Locks out wire migration.

- Wire designed to aid in secure placement.
- Locking elements provide you with migration resistance.
- Unlike other wires, the Bard™ DuaLok™ Breast Localization Wire allows you to reposition it after placement if necessary.



Bard™ DuaLok™ Breast Lesion Localization Wire

20G x 5.7cm

SKU: LW0057

Locks in secure placement. Locks out wire migration.

- Wire designed to aid in secure placement.
- Locking elements provide you with migration resistance.

- Unlike other wires, the Bard™ DuaLok™ Breast Localization Wire allows you to reposition it after placement if necessary.



Bard™ DuaLok™ Breast Lesion Localization Wire

20G x 3.7cm

SKU: LW0037

Locks in secure placement. Locks out wire migration.

- Wire designed to aid in secure placement.
- Locking elements provide you with migration resistance.
- Unlike other wires, the Bard™ DuaLok™ Breast Localization Wire allows you to reposition it after placement if necessary.

Bard® Ghiatas™ Beaded Breast Localization Wire



Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 9cm Needle & 20cm Barbed Wire with Stiffened Section

SKU: 49920

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion

- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 7cm
Needle & 20cm Barbed Wire with Stiffened Section**

SKU: 49720

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 5cm
Needle & 15cm Barbed Wire with Stiffened Section**

SKU: 49520

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 9cm
Needle & 20cm Barbed Wire**

SKU: 479201

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 9cm
Needle & 20cm Barbed Wire**

SKU: 47920

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 19G x 9cm
Needle & 20cm Barbed Wire**

SKU: 47919

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 7cm
Needle & 20cm Barbed Wire**

SKU: 477201

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 7cm
Needle & 20cm Barbed Wire**

SKU: 47720

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 5cm
Needle & 15cm Barbed Wire**

SKU: 475201

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 5cm
Needle & 15cm Barbed Wire**

SKU: 47520

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 19G x 5cm
Needle & 15cm Barbed Wire**

SKU: 47519

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 3cm Needle & 15cm Barbed Wire

SKU: 47320

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 14cm Needle & 35cm Barbed Wire

SKU: 470201

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



**Bard® Ghiatas™ Beaded Breast Localization Wire - 20G x 14cm
Needle & 35cm Barbed Wire**

SKU: 47020

- Marker beads placed at 1 cm intervals on distal end of the wire provide a rapid visual to the lesion
- Palpable deployment bead serves as a tactile guide to signify deployment of the barb at the distal end of the wire
- 1 cm depth reference marks and ultrasound enhancement to aid in introducer needle placement



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bog@nt-rt.ru || сайт: <https://becton.nt-rt.ru/>