

Реагенты, тесты, пипетки

Техническое описание

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bog@nt-rt.ru || сайт: <https://becton.nt-rt.ru/>



KIT NON GYN STAIN

SKU: 491459

BD CytoRich™ non-gyn fixatives help collect, preserve, and transport and transfer cytology specimens with hemolytic and nonhemolytic options.

The fixative properties of BD CytoRich™ preservative fluids work with the discrete batch processing capabilities of BD PrepStain™ and BD Totalys™ SlidePrep processors to provide standardized yet flexible solutions for non-gyn cytology.



BD™ Non-GYN Stain Kit, 480 Tests

SKU: 491458

BD CytoRich™ non-gyn fixatives help collect, preserve, and transport and transfer cytology specimens with hemolytic and nonhemolytic options.

The fixative properties of BD CytoRich™ preservative fluids work with the discrete batch processing capabilities of BD PrepStain™ and BD Totalys™ SlidePrep processors to provide standardized yet flexible solutions for non-gyn cytology.



BD SurePath™ Preservative Fluid, 3.6 L

SKU: 491337

The BD SurePath™ liquid-based Pap test provides advantages over conventional Pap smears and other liquid-based cytology (LBC) tests, resulting in greater disease detection.



BD CytoRich™ Red Preservative Fluid, 3.6 L

SKU: 491336

BD CytoRich™ non-gyn fixatives help collect, preserve, and transport and transfer cytology specimens with hemolytic and nonhemolytic options.

The fixative properties of BD CytoRich™ preservative fluids work with the discrete batch processing capabilities of BD PrepStain™ and BD Totalys™ SlidePrep processors to provide standardized yet flexible solutions for non-gyn cytology.



BUFFERED TRIS

SKU: 490518

The BD SurePath™ liquid-based Pap test provides advantages over conventional Pap smears and other liquid-based cytology (LBC) tests, resulting in greater disease detection.



BD Fox PCR Extraction Tubes 384 EA

SKU: 444089

The BD Onclarity™ HPV Assay is FDA-approved for extended genotyping, offering the flexibility you need to adapt to changing screening guidelines and evolving patient management guidance.

FDA approved for all three screening paradigms:

In the post-vaccination era the prevalence of high-risk genotypes may change making it crucial to identify high-risk genotypes individually.

- Extended genotyping supports risk stratification and persistence monitoring to guide patient management¹⁻⁵
- Genotypes 16 and 18 account for 70% of invasive cancer worldwide, but their prevalence is declining as vaccination rates increase.⁶⁻⁹
- Genotypes 31,33,58 have a CIN3+ risk similar to genotype 18, but 51,35,39,68,56,59,66 have a much lower risk.¹⁰⁻¹¹



BD HPV CONTROL SET

SKU: 444088

The BD Onclarity™ HPV Assay is FDA-approved for extended genotyping, offering the flexibility you need to adapt to changing screening guidelines and evolving patient management guidance.

FDA approved for all three screening paradigms:

In the post-vaccination era the prevalence of high-risk genotypes may change making it crucial to identify high-risk genotypes individually.

- Extended genotyping supports risk stratification and persistence monitoring to guide patient management¹⁻⁵
- Genotypes 16 and 18 account for 70% of invasive cancer worldwide, but their prevalence is declining as vaccination rates increase.⁶⁻⁹
- Genotypes 31,33,58 have a CIN3+ risk similar to genotype 18, but 51,35,39,68,56,59,66 have a much lower risk.¹⁰⁻¹¹



PCR Extraction Reagent Trough, 12

SKU: 444087

The BD Onclarity™ HPV Assay is FDA-approved for extended genotyping, offering the flexibility you need to adapt to changing screening guidelines and evolving patient management guidance.

FDA approved for all three screening paradigms:

In the post-vaccination era the prevalence of high-risk genotypes may change making it crucial to identify high-risk genotypes individually.

- Extended genotyping supports risk stratification and persistence monitoring to guide patient management¹⁻⁵
- Genotypes 16 and 18 account for 70% of invasive cancer worldwide, but their prevalence is declining as vaccination rates increase.⁶⁻⁹
- Genotypes 31,33,58 have a CIN3+ risk similar to genotype 18, but 51,35,39,68,56,59,66 have a much lower risk.¹⁰⁻¹¹



Tube HPV LBC Onclarity Surepath ONLY

SKU: 443837

The BD Onclarity™ HPV Assay is FDA-approved for extended genotyping, offering the flexibility you need to adapt to changing screening guidelines and evolving patient management guidance.

FDA approved for all three screening paradigms:

In the post-vaccination era the prevalence of high-risk genotypes may change making it crucial to identify high-risk genotypes individually.

- Extended genotyping supports risk stratification and persistence monitoring to guide patient management¹⁻⁵
- Genotypes 16 and 18 account for 70% of invasive cancer worldwide, but their prevalence is declining as vaccination rates increase.⁶⁻⁹
- Genotypes 31,33,58 have a CIN3+ risk similar to genotype 18, but 51,35,39,68,56,59,66 have a much lower risk.¹⁰⁻¹¹



BD ONCLARITY HPV TEST, 192

SKU: 441990

The BD Onclarity™ HPV Assay is FDA-approved for extended genotyping, offering the flexibility you need to adapt to changing screening guidelines and evolving patient management guidance.

FDA approved for all three screening paradigms:

In the post-vaccination era the prevalence of high-risk genotypes may change making it crucial to identify high-risk genotypes individually.

- Extended genotyping supports risk stratification and persistence monitoring to guide patient management¹⁻⁵
- Genotypes 16 and 18 account for 70% of invasive cancer worldwide, but their prevalence is declining as vaccination rates increase.⁶⁻⁹
- Genotypes 31,33,58 have a CIN3+ risk similar to genotype 18, but 51,35,39,68,56,59,66 have a much lower risk.¹⁰⁻¹¹



BD CytoRich™ Blue Preservative Fluid, 3.6 L

SKU: 491335

BD CytoRich™ non-gyn fixatives help collect, preserve, and transport and transfer cytology specimens with hemolytic and nonhemolytic options.

The fixative properties of BD CytoRich™ preservative fluids work with the discrete batch processing capabilities of BD PrepStain™ and BD Totalys™ SlidePrep processors to provide standardized yet flexible solutions for non-gyn cytology.



BD Totalys™ Non Gyn Kit, 192 Tests

SKU: 491304

The BD Totalys™ SlidePrep maintains continuous chain of custody through integration with the BD Totalys™ MultiProcessor.



BD PrepStain™ Non Gyn Kit, 192 Tests

SKU: 491303

BD CytoRich™ non-gyn fixatives help collect, preserve, and transport and transfer cytology specimens with hemolytic and nonhemolytic options.

The fixative properties of BD CytoRich™ preservative fluids work with the discrete batch processing capabilities of BD PrepStain™ and BD Totalys™ SlidePrep processors to provide standardized yet flexible solutions for non-gyn cytology.



BD™ Density Reagent, 480 mL

SKU: 491332

The BD SurePath™ liquid-based Pap test provides advantages over conventional Pap smears and other liquid-based cytology (LBC) tests, resulting in greater disease detection.



BD CytoRich™ Clear Collection Vial

SKU: 491443



BD SurePath™ Precoated Slides, 96 EA

SKU: 491248

The BD SurePath™ liquid-based Pap test provides advantages over conventional Pap smears and other liquid-based cytology (LBC) tests, resulting in greater disease detection.



PIPETTES SYRINGING 240 EA

SKU: 491331

The BD SurePath™ liquid-based Pap test provides advantages over conventional Pap smears and other liquid-based cytology (LBC) tests, resulting in greater disease detection.



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47