

Периферические сосудистые трансплантаты

Техническое описание

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bog@nt-rt.ru || сайт: <https://becton.nt-rt.ru/>



Impra Carboflo™ Vascular Grafts

Stepped Graft, Stepped from 4 mm to 7 mm and 50 cm long
SKU: T5047C

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Small Bead Flex and Tapered Graft Tapered from 7 mm to 4 mm and 80 cm long
SKU: F80T74TSC

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 10 mm x 80 cm
SKU: F8010C

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with small beading,
SKU: F8008TWSC

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft with Small Beading, 8 mm x 80 cm

SKU: F8008SC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 8 mm x 80 cm

SKU: F8008C

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with small beading, SKU: F8007TWSC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 7 mm x 80 cm
SKU: F8007C

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with small beading, 6 mm x 80 cm

SKU: F8006TWSC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft with Small Beading, 6 mm x 80 cm

SKU: F8006SC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 6 mm x 80 cm

SKU: F8006C

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Small Bead Flex and Tapered Graft Tapered from 8 mm to 5 mm and 70 cm long

SKU: F70T85TSC



Impra Carboflo™ Vascular Grafts

Thinwall Small Bead Flex and Tapered Graft Tapered from 7 mm to 4 mm and 70 cm long

SKU: F70T74TSC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with small beading, 8 mm x 70 cm

SKU: F7008TWS

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft with Small Beading, 8 mm x 70 cm

SKU: F7008SC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 8 mm x 70 cm

SKU: F7008C

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with small beading, 7 mm x 70 cm

SKU: F7007TWSC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 7 mm x 70 cm

SKU: F7007C

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with small beading, 6 mm x 70 cm
SKU: F7006TWSC

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft with Small Beading, 6 mm x 70 cm
SKU: F7006SC

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 6 mm x 70 cm
SKU: F7006C

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with small beading, 5 mm x 70 cm
SKU: F7005TWSC

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 8 mm x 60 cm

SKU: F6008C

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with Small Beading,
8 mm x 50 cm

SKU: F6006TWS

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 6 mm x 60 cm

SKU: F6006C

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 10 mm x 50 cm

SKU: F5010C

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with Small Beading,
8 mm x 50 cm
SKU: F5008TWS

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 8 mm x 50 cm
SKU: F5008C

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft, 7 mm x 50 cm
SKU: F5007C

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with Small Beading,
6 mm x 50 cm
SKU: F5006TWS

Designed to reduce early graft failure due to thrombosis
Cost effective alternative to pharmacological grafts
Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Flex Graft with Small Beading, 6 mm x 50 cm
SKU: F5006SC



Impra Carboflo™ Vascular Grafts

Flex Graft, 6 mm x 50 cm
SKU: F5006C



Impra Carboflo™ Vascular Grafts

Flex Graft, 8 mm x 40 cm
SKU: F4008C



Impra Carboflo™ Vascular Grafts

Flex Graft, 6 mm x 40 cm
SKU: F4006C



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with Small Beading,
8 mm x 30 cm

SKU: F3008TWSC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Thinwall Flex Graft with Small Beading,
6 mm x 30 cm

SKU: F3006TWSC

Designed to reduce early graft failure due to thrombosis

Cost effective alternative to pharmacological grafts

Proven clinical outcomes in below-knee popliteal and distal bypass



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 8 mm x 50 cm

SKU: 50S08TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 8 mm x 50 cm

SKU: 50S08C




Impra Carboflo™ Vascular Grafts

Flex Graft, 6 mm x 10 cm
SKU: F1006C



Distaflo™ Mini-Cuff Bypass Graft

Flex Small Beading, 6 mm x 90 cm
SKU: DFX9006SC




Distaflo™ Mini-Cuff Bypass Graft

Flex Small Beading, 6 mm x 80 cm
SKU: DFX8006SC




Distaflo™ Mini-Cuff Bypass Graft

Flex Small Beading, 6 mm x 70 cm
SKU: DFX7006SC




Distaflo™ Mini-Cuff Bypass Graft

Flex Small Beading, 6 mm x 60 cm
SKU: DFX6006SC



Distaflo™ Bypass Graft

6mm x 80 cm
SKU: DFM8006SC




Distaflo™ Bypass Graft

Small Beading With Small Cuff, 6 mm x 60 cm
SKU: DFM6006SC



Distaflo™ Bypass Graft

Flex, Small Beading With Standard Cuff, 7 mm x 80 cm
SKU: DF8007SC




Distaflo™ Bypass Graft

Flex, Small Beading With Standard Cuff, 7 mm x 60 cm
SKU: DF6007SC

Distaflo™ Bypass Graft

Flex, Small Beading With Standard Cuff, 6 mm x 60 cm
SKU: DF6006SC



Distaflo™ Bypass Graft

Flex, Small Beading With Standard Cuff,

8 mm x 50 cm

SKU: DF5008SC



Impra Carboflo™ Vascular Grafts

Stepped Centerflex™ Graft, stepped from
4 mm to 7 mm and 50 cm long

SKU: CFT5047C



Impra Carboflo™ Vascular Grafts

Stepped Centerflex™ Graft, stepped from
5 mm to 8 mm and 45 cm long

SKU: CFT4558C



Impra Carboflo™ Vascular Grafts

Stepped Centerflex™ Graft, stepped from
4 mm to 7 mm and 45 cm long

SKU: CFT4547C



Impra Carboflo™ Vascular Grafts

Stepped Centerflex™ Graft, stepped from 4 mm to 7 mm and 40 cm long
SKU: CFT4047C



Impra Carboflo™ Vascular Grafts

CenterFlex™ Graft, 7 mm x 50 cm
SKU: CF5007C



Impra Carboflo™ Vascular Grafts

CenterFlex™ Graft, 6 mm x 50 cm
SKU: CF5006C



Impra Carboflo™ Vascular Grafts

Short tapered Centerflex™ Graft, tapered from 7 mm to 4 mm and 40 cm long
SKU: CF40A74C



Impra Carboflo™ Vascular Grafts

CenterFlex™ Graft, 8 mm x 40 cm
SKU: CF4008C



Impra Carboflo™ Vascular Grafts

CenterFlex™ Graft, 6 mm x 40 cm
SKU: CF4006C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 8 mm x 80 cm
SKU: 80S08TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 8 mm x 80 cm
SKU: 80S08C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 7 mm x 80 cm
SKU: 80S07TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 7 mm x 80 cm
SKU: 80S07C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 6 mm x 80 cm
SKU: 80S06TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 6 mm x 80 cm
SKU: 80S06C



Impra Carboflo™ Vascular Grafts

Tapered Graft, Tapered from 7 mm to 4 mm and 70 cm long
SKU: 70T74C

Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 8 mm x 70 cm
SKU: 70S08TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 8 mm x 70 cm
SKU: 70S08C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 7 mm x 70 cm
SKU: 70S07TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 7 mm x 70 cm
SKU: 70S07C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 6 mm x 70 cm
SKU: 70S06TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 6 mm x 70 cm
SKU: 70S06C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 5 mm x 70 cm
SKU: 70S05TWC



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 7 mm x 50 cm
SKU: 50S07TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 7 mm x 50 cm
SKU: 50S07C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 6 mm x 50 cm
SKU: 50S06TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 6 mm x 50 cm
SKU: 50S06C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 5 mm x 50 cm
SKU: 50S05TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 5 mm x 50 cm
SKU: 50S05C



Impra Carboflo™ Vascular Grafts

Straight Graft, 4 mm x 50 cm
SKU: 50S04C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 8 mm x 40 cm
SKU: 40S08TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 8 mm x 40 cm
SKU: 40S08C

Impra Carboflo™ Vascular Grafts

Straight Graft, 7 mm x 40 cm
SKU: 40S07C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 6 mm x 40 cm
SKU: 40S06TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 6 mm x 40 cm
SKU: 40S06C



Impra Carboflo™ Vascular Grafts

Straight Graft, 5 mm x 40 cm
SKU: 40S05C



Impra Carboflo™ Vascular Grafts

short tapered graft, tapered from 7 mm to 4 mm and 40 cm long
SKU: 40A74C



Impra Carboflo™ Vascular Grafts

short tapered graft, tapered from 6 mm to 4 mm and 40 cm long

SKU: 40A64C



Impra Carboflo™ Vascular Grafts

short tapered graft, tapered from 6 mm to 4 mm and 40 cm long

SKU: 40A6-4C



Impra Carboflo™ Vascular Grafts

Straight Graft, 6mm x 30cm

SKU: 30S06C



Impra Carboflo™ Vascular Grafts

Straight Graft, 8 mm x 20 cm

SKU: 20S08C



Impra Carboflo™ Vascular Grafts

Straight Graft, 7 mm x 20 cm
SKU: 20S07C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 6 mm x 20 cm
SKU: 20S06TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 6 mm x 20 cm
SKU: 20S06C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, Straight,
Thinwall, 10 mm x 10 cm
SKU: 10S10TWC



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 8 mm x 10 cm
SKU: 10S08TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 8 mm x 10 cm
SKU: 10S08C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 7 mm x 10 cm
SKU: 10S07TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 7 mm x 10 cm
SKU: 10S07C



Impra Carboflo™ Vascular Grafts

Straight Thinwall Graft, 6 mm x 10 cm
SKU: 10S06TWC



Impra Carboflo™ Vascular Grafts

Straight Graft, 6 mm x 10 cm
SKU: 10S06C



Impra Carboflo™ Vascular Grafts

Straight Graft, 5 mm x 10 cm
SKU: 10S05C



Impra Carboflo™ Vascular Grafts

Straight Graft, 4 mm x 10 cm
SKU: 10S04C

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: bog@nt-rt.ru || сайт: <https://becton.nt-rt.ru/>